

**HYDRADIG | 110W**

**JCB**



**STAGE V**

OPERATING  
WEIGHT

**11,050 – 12,050kg**

ENGINE  
POWER

**81kW**

MAXIMUM  
ROADING SPEED

**40kph**

## BEST-IN-CLASS VISIBILITY.

The JCB Hydradig 110W provides unrivalled all-round visibility, allowing the operator to see all four wheels, plus a 1m perimeter around the machine at ground level.



## SAFER WORKING

Low-level glass allows an all-round unobstructed view, whilst high power LED worklights as standard provide optimum visibility at night.



# ULTIMATE STABILITY.

The JCB Hydradig 110W has a low centre of gravity which provides unrivalled stability, even when digging or lifting from the side.



## GREATER MANOEUVRABILITY

A tailswing of just 120mm allows Hydradig to work in the most confined spaces. Reverse steer as standard, makes working in a single carriageway easy.

# ULTIMATE VERSATILITY.

Low flow 60l/min and high flow 120l/min auxiliary hydraulic circuits allow the Hydradig to be fitted with a wide range of attachments, making every job possible.




## THE ONE MACHINE FLEET

The class-leading 40kph transmission allows quick and efficient roading between sites. 4-wheel steer, 2-wheel steer and crab steer all come as standard.



# ULTIMATE ADAPTABILITY.

Whether working in urban, rural or highways applications, the JCB Hydradig can be configured to suit all.



## SAFETY AS STANDARD

Ground level service points, reversing alarm, amber beacon and 2GO system as standard make the Hydradig one of the safest machines on site.

## ULTIMATE COMFORT.

The JCB CommandPlus cab features a deluxe air suspension seat with heated base, sliding window, climate control and boom suspension as standard, to optimise operator comfort.



## BEST-IN-CLASS BREAKOUT

The JCB Hydradig offers powerful performance with a best-in-class breakout force of 60.2kN.



# HYDRADIG | 110W




## SPECIFICATION.

<b>MODEL</b>	<b>110W</b>
<b>Length</b>	<b>3.69m</b>
<b>Width</b>	<b>2.42m</b>
<b>Height</b>	<b>2.99m</b>
<b>Operating weight</b>	<b>11,050 - 12,050kg</b>
<b>Service interval</b>	<b>500 hours</b>
<b>Max ground speed</b>	<b>40kph</b>



FITTED AS STANDARD

COOLANT LEVEL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
WASHER BOTTLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BRAKE RESERVOIR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
FUEL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DEF	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BOODWORK & GLAZING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TYRE/TREAD COND	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



## STANDARD FEATURES.

- 81kW Stage V EcoMAX engine
- 5 year LiveLink subscription
- Engine Auto-Stop
- LED work lights
- 7" LCD monitor with rotary control
- SRS boom suspension
- Reverse steer
- Auto idle and one touch idle
- Radio and speaker kit
- Deluxe air seat



**JCB**

**GRIFF**  
**GRIFF DAVIES CONSTRUCTION**

**“We set out to purchase one machine that could carry out many different tasks. The Hydradig does this with ease.”**

**GRIFF | GRIFF DAVIES CONSTRUCTION**

**FIND OUT MORE**

**JCB**

[www.jcb.com](http://www.jcb.com)

